

International Conference on ONCOLOGY AND RADIOLOGY

J Clin Exp Oncol 2018, Volume:7 DOI: 10.4172/2324-9110-C5-021

International Conference on NANOTECHNOLOGY

&

December 03-04, 2018 | Edinburgh, Scotland

Waste water treatment through MWCNTs nanomembranes

Jorge Ivan Cifuentes and Christian Argueta University of San Carlos of Guatemala, Guatemala

N and membranes were fabricated with MWCNTs and cotton for mesh and fiber support to remove pollutants and meet the World Health Organization (WHO) parameters for drinking water. After the Nano filtration process the following results were obtained: Escherichia Coli was reduced from 6.8 per 100 ml to 2.0 per 100 ml, Turbidity obtained after Nano filtration was reduced from 4.04 to 0.23 mg/l; Magnesium content was reduced from 93.14 mg/l to 13.62 mg/l, total hardness was reduced from 450 mg/l to 132 mg/l, the colour diminished from 58 units to 1.0 units, Ph got reduced from 6.87 to 6.44. The results show that the quality of water can be improved

using multi wall carbon nanotubes to meet drinking water requirements. In addition, electric current was used through membranes to create electro separation of pollutants and let filtrated water to pass. The results also showed water with less pollutant, better colour, and less turbidity after the nano filtration process. This is an approach in the use of nanotechnology for waste water treatment and increase the access to drinking water to more people around the World. This research was performed at School of mechanical engineering and Engineering research centre from University of San Carlos of Guatemala.

jicifuentes@ing.usac.edu.gt