



Karacalar A, J Regen Med 2018, Volume 7 DOI: 10.4172/2325-9620-C1-008

Global Experts Meeting on PLASTIC AND AESTHETIC SURGERY

May 14-15, 2018 | Singapore City, Singapore

Superdry liposuction 4D in the treatment of lipohypertrophy and lipoedema

Karacalar A Private Clinic, Turkey

Statement of the Problem: Lipohypertophy and lipoedema are a fat distribution disorder causing massive, bilaterally symmetrical enlargement of the lower extremities particularly in women. It is known that the leg has only one layer of subcutaneous tissue, leaving little margin for error. This peculiarity calls for a different approach than that of the other regions. Liposuction under a tourniquet allows the surgery to be performed conscientiously and safely. The author published this approach as the superdry technique for the kneecap area previously, which evolved into the superdry liposuction 4D by the influence of accumulating experience. This approach goes one step further in the process of leg sculpting. Methodology & Theoretical

Orientation: Over 100 patients between 19 and 54 years of age with lipohypertophy or lipoedema were consecutively treated by a single surgeon. In six patients, selective neurectomy of the gastrocnemius and/or gastrocnemius muscle shaving were used in conjunction with the superdry liposuction 4D.

Findings: There was significant improvement in the form, proportion and diameters of the extremities as well as a dramatic improvement of symptoms including pain, swelling.Patients showed significant reductions in spontaneous pain, sensitivity to pressure, feeling of tension, bruising, cosmetic impairment, and general impairment to quality of life. Mean volume of aspirate was 3000 mL (range 750-6000 mL). None of the serious complications associated with liposuction were observed in this series. Minor complications including localized residual fat deposits in 4 patients that required revision under local anaesthesia and hyper pigmented scar in 4 patients were observed.

Conclusion & Significance: The superdry 4d liposuction is capable of becoming a gold standard in the treatment of lower extremity lipohypertrophy and lipoedema. However, it is a complicated procedure requiring an artistic eye and a good judgment of leg curvatures that is appropriate only for highly experienced surgeons.

Biography

Dr. Karacalar has over 20 years of experience as a plastic & aesthetic surgeon specializing in body and lower extremity contouring surgery. He has extensive experience with lipoedema treatment. He uses various art fields to develop his aesthetic sense and judgment, including painting, sculpture and photography.

drkaracalar@gmail.com

Notes: