

EuroSciCon Joint Event on Laser Optics, Quantum & Plasma Physics

May 09-10, 2019 Stockholm, Sweden

Igor V Lebed, J Electr Eng Electron Technol 2019, Volume:8 DOI: 10.4172/2325-9833-C1-014

THE IDEAS ON DEVELOPMENT OF INSTABILITY

Igor V Lebed

Institute of Applied Mechanics- Russian Academy of Science, Russia

ultimoment hydrodynamics equations draw the following pattern of N development of unstable process in system. Crossing the first critical Reynolds number value is accompanied by the stability loss. The system loses its stability when entropy outflow through the surface confining the system can't be compensated by entropy produced within the system. In accordance with solutions to the multimoment hydrodynamics equations, the system, when loses stability, remains further unstable. As Reynolds number grows, one unstable mode is replaced by another mode, also unstable. The change in unstable flow regime is governed the tendency of a system to discover the fastest path to depart from the state of statistical equilibrium. The behavior of unstable system is a mirror image of the system behavior in the stability mode. With elimination of external influence, the state of stable system rushes to the state of statistical equilibrium. On the contrary, the state of unstable system rushes away from the state of statistical equilibrium without any additional influence. Both of these processes are described by direct hydrodynamics equations. In the absence of external influence, an extremely unlikely transition from the equilibrium to non-equilibrium is described by reverse hydrodynamics equations. In the instability mode, the reverse equations lead the system in the direction of statistical equilibrium with high probability. This behavior of unstable system is at variance with Landau-Hopf scenario, to which solutions of the Navier Stokes equations follow. In accordance with Landau-Hopf scenario, a system that has lost stability inevitably finds some new stable position, near which it performs harmonic periodic or multiperiodic movement. Thus, only stable solutions to the classic hydrodynamics equations can be put in conformity to observed unstable phenomena. Unlike the equations of multimoment hydrodynamic, the Navier-Stokes equations fail when trying to interpret unstable phenomena, in particular, the phenomenon of vortex shedding called the Kelvin-Helmholtz instability.

Biography

Igor V Lebed Graduated from the Faculty of Chemical Physics at the Moscow Institute of Physics and Technology and completed the Post-Graduation course from the same Institute. After defending his thesis, he was sent to work in Zhukovsky Central Aerohydrodynamics Institute. Currently, he is an employee of the Institute of Applied Mechanics, Russian Academy of Science. The first ideas initiated a new direction in hydrodynamics given by him in the late seventies. The first work on this theme has been published in 1990 in the journal *Chemical Physics Letters*. The fundamental concepts and methods for the new direction are represented in monograph "The Foundations of Multimoment Hydrodynamics – Part 1: Ideas, Methods and Equations", 2018.

lebed-ivl@yandex.ru