

16th Annual

MEDICINAL & PHARMACEUTICAL SCIENCES CONGRESS

October 16-17, 2017 Seoul, South Korea

Identification of potential drug candidates in the anti-ulcer bark extract of *Entandrophragma utile*

Theresa Adebola John and Victoria I Onanubi
Lagos State University, Nigeria

Introduction & Aim: *Entandrophragma utile* bark extract limits hemorrhagic damage caused by absolute ethanol or other ulcerogens inhibits gastric acidity and peptic activity and stimulates gastric mucus secretion. We screened the bark for drug chemical candidates to be studied for anti-ulcer mechanisms.

Methods: Fresh bark, dried and pulverized was suspended as 2 g powder in 25 ml solvent and extracted over 10 days at 4C with occasional shaking. Filtrate was subjected to gas chromatography-mass spectrometry (GC-MS) screening at the Federal Institute of Industrial Research, Oshodi (FIRO), Lagos, Nigeria. MS scan range was 40-550 (m/z). With a NIST Version (2011) MS data library (>62,000 patterns), we compared the spectra obtained and compounds present in bark extracts were identified by name, molecular weight and structure.

Results: Chemical components identified in the acetone extract of *E. utile* by GC-MS Peak are: 4-hydroxy-4-methyl-2-pentanone; 1-isocyano-butane; propane sulfonylacetonitrile; 9-octadecanamide, (Z); oxalic acid, butyl propyl ester and 3, 6-heptanedione. Chemical components identified in the ethanolic extract are: Ethoxyacetylene, oxalic acid allyl butyl ester and oxalic acid butyl propyl ester.

Conclusion: Drug candidates were noxious oxalic acid which may be comparable to cytoprotective 10% ethanol; 2-pentone analogues which may modulate gut prostaglandin production and 9-octadecanamide (oleamide), CB¹ receptor agonist which allosterically modulates GABA_A receptors and potentiates 5-HT₇ serotonin receptor responses and may modulate gut serotonin mechanisms such as vascular tone, hemostasis, blood clotting and cell proliferation that may be involved in ulcer healing. Thus we found three potential candidates for screening as anti-ulcer drugs in the bark of *E. utile*.

theresaadebola@yahoo.com