DOI: 10.4172/2325-9612.1000166



Clinical Image A SciTechnol Journal

Detecting impending clinical syndromes of Hepatocellular carcinoma by implementing Hierarchical feature of selection process based on improved optimization algorithm

Liqing Ma 1, Jianmei Wang 2*

Clinical Image

A 68-year-old female with a past medical history of autosomal polycystic kidney disease (ADPKD), renal transplant, and adenocarcinoma of the colon with prior resection and chemotherapy presented to the emergency department with acute abdominal pain. On physical exam, she was afebrile, had distended abdomen, hepatosplenomegaly, mild mid-abdomen tenderness, and hypoactive bowel sounds. Laboratory studies showed stable stage III-b chronic kidney disease, chronic normocytic anemia, normal coagulation profile, without transaminitis, and hyperbilirubinemia. Ultrasound revealed multiple hepatic cysts. Subsequent abdominal MRI revealed parenchymal replacement of the liver by innumerable cysts. Fluids sent from percutaneous aspiration of a predominant cyst failed to show evidence of infection or malignancy. She was not a suitable liver transplant candidate and cyst aspirations would be unlikely to provide




Figure 1: Near complete parenchymal replacement of the liver by innumerable cysts (Arrows).

substantial relief of symptoms. She was managed conservatively with small meals, narcotics, and antiemetics.

Polycystic liver disease (PLD) commonly found in ADPKD patients, mainly in females [1]. PLD remain asymptomatic and found incidentally. However, hepatic cysts are susceptible to various complications such as infections, hemorrhage, torsion, rupture, and malignant transformation [2]. The diagnostic workup for a suspected complication of hepatic cysts includes laboratory studies which may show normal liver function test and radiological diagnostics using ultrasound, CT scan, and MRI of the liver. Interventions include percutaneous aspiration with sclerotherapy, liver resection with transplantation, and adequate supportive measures and symptom control (Figure 1) [3].

References

- Abu-Wasel B, Walsh C, Keough V, Molinari M (2013) Pathophysiology, epidemiology, classification and treatment options for polycystic liver diseases. World J Gastroenterol 19: 5775-5786.
- Lantinga MA, Gevers TJ, Drenth JP (2013) Evaluation of hepatic cystic lesions. World J Gastroenterol 19: 3543-3554.
- Grünfeld J, Albouze G, Jungers P, Landais P, Dana A, et al. (1985) Liver changes and complications in adult polycystic kidney disease. Adv Nephrol Necker Hosp 14: 1-20.

Citation: Al-Shbool G, Connelly M (2019) Enormous Hepatic Cysts in Polycystic Kidney Disease. J Liver Disease Transplant 9:1

Author Affiliations

Top

Internal Medicine Department, Washington Hospital Center, Washington DC, USA

Submit your next manuscript and get advantages of SciTechnol submissions

€ 80 Journals

21 Day rapid review process

3000 Editorial team
5 Million readers

More than 5 000 book
 More than 5

Quality and quick review processing through Editorial Manager System

Submit your next manuscript at • www.scitechnol.com/submission

^{*}Corresponding author: Ghassan Al-Shbool, Internal MedicineDepartment, Washington Hospital Center, Washington DC, USA, Tel: +(1)2026159856; E-mail: ghassan_shboul@yahoo.com

