



Melt-in-Mouth Miracles: A New Era of Drug Delivery with Mouth Dissolving Tablets

Neha Devi*, Ritonja Singh and Arpita Singh

Department of Pharmaceutics, Seth Vishambhar Nath Institute of Pharmacy, Barabanki, Uttar Pradesh, India

*Corresponding author: Neha Devi, Department of Pharmaceutics, Seth Vishambhar Nath Institute of Pharmacy, Barabanki, Uttar Pradesh, India; E-mail: nd158737@gmail.com

Received date: 03 January, 2025, Manuscript No. JPDDR-26-157676;

Editor assigned date: 06 January, 2025, PreQC No. JPDDR-26-157676 (PQ);

Reviewed date: 20 January, 2025, QC No. JPDDR-26-157676;

Revised date: 05 June, 2025, Manuscript No. JPDDR-26-157676 (R);

Published date: 12 June, 2025, DOI: 10.4172/2325-9604.1000320.

Abstract

Melt-in-mouth capsules (MDTs), also known as quick disintegrating tablets (ODTs), constitute a full-size advancement within the subject of drug shipping. These revolutionary short soften form dosage forms that dissolve quickly inside the mouth, imparting patients convenience of consuming medicine without water, that is in particular beneficial for populations with swallowing difficulties, consisting of paediatric, geriatrics and people with swallowing difficulties. MDTs beautify affected person compliance, improve the therapeutics experience and allows quicker drug onset due to the absorption through the oral mucosa, bypassing first-bypass metabolism in certain case. Formula strategies behind MDTs, consisting of incorporation of greater disintegration agents, effervescent taste-covering answers and methods, that are essentials for ensuring speedy disintegration, quality flavor and powerful drug release. Desired characteristics and demanding situations for developing rapid disintegrating drug delivery structures, diverse approach used within the education of fast disintegrating drug shipping structures like molding method, spray drying approach, direct compression approach, freeze drying technique, mass shaping method, nano-particle creation approach. It also reviews the patented technology for fast dissolving. The growing significance for MDTs is due to the capacity benefits supplied by using the technology. MDTs is a new drug shipping system with disintegration time.

Keywords: Rapidly dissolving pill; Affected person compliance; Manufacturing techniques; Ideal characteristics; Patented technology

Introduction

In instantaneous-dissolve drugs (MDTs) have emerged as a good sized innovation in pharmaceutical dosages forms, revolutionizing the way medicinal drugs are administered and improving patient compliance. Dissolved fast in mouth without water consumption, making them especially high quality for those who face problems swallowing traditional dosage paperwork, together with kids, the aged and sufferers with swallowing difficulties. One of the number one

benefits of MDTs is their ability to offer fast onset of motion. Upon contact with saliva, MDTs disintegrate fast, facilitating faster uptake of active factor thru the mouth tissue. This property is particularly beneficial for medicines requiring instantaneous healing effects, together with analgesics and antipyretics. Moreover, the sublingual and mouth routes of administration can pass first metabolite processing, potentially contributing to advanced bioactive presence of certain remedy. In addition to their pharmacokinetics advantages, MDTs provide more advantageous affected person comfort and adherence due to their ease of use and the elimination of needs for water. This feature on especially crucial in situations in which water won't be readily to be had, together with all through tour or in emergency settings. Moreover, the development of MDTs frequently involves superior method technology, which includes flavor-protecting techniques, making sure that even sour-tasting medicines may be administered palatability [1].

Materials and Methods

Mechanisms of movement

Mouth dissolving pill (MDTs) leverage specific mechanisms that enables their quick disintegration and dissolution and solubility in mouth, providing a completely unique drug transport gadget that complements bioavailability and affected person compliance. The primary mechanisms involved in the overall performance of MDTs consist of disintegration, dissolution and absorption.

Disintegration mechanism: MDTs are formulated with top notch-crumble, that are crucial in promoting fast disintegration upon touch with saliva. These marketers, like as pharmaceutical filler, sodium improved starch salt, and pass-linked sodium cellulose, extend upon hydration, forcing the tablet to fragment quickly [2].

Dissolution mechanism: As soon as disintegration occurs, the API, drug substance and pharmacological substance is the launched in to the saliva. The dissolution rate of the API is encouraged by means of its solubility and the formulation inactive substance used in MDTs. high solubility APIs usually dissolve hastily, at the same time as poorly soluble can also calls for precise system techniques, such as the uses of solubilizer excipients or nanoparticles to beautify their dissolution profiles.

Absorption mechanism: Following dissolution the dissolved drug is readily available for absorption thru the mucosa. The sublingual and mouth areas of the oral cavity offer a significant surface region for absorption, which may be lead to faster onset of action in comparison to standard oral traditional oral dosages forms.

Flavor covering mechanism: Flavor masking in some other essential mechanism within the components of MDTs. Sour-trying out drugs can deter sufferers from taking medicinal drugs for that reason various strategies along with coating the API with taste protecting retailers or the usage of chelating agent can assist enhance palatability (Figure 1) [3].




Figure 1: Melt action.

Advantages of MDTs:

- Allow high drug loading
- Transportation
- Rapid onset of action in the mouth
- **Patient compliance:** Particularly uses young elder, old adults and mental patients who have difficulty swallowing.
- **Portability and ease of ease of administration:** No need for water.
- **Increased bioavailability:** Especially for drug that are absorbed through the oral mucosa.
- No water needed in mouth dissolving tablets.
- It is easy to take for patients.
- This is quick dissolved in tongue (Figure 2).




Figure 2: Advantage of MDTs.

Disadvantages of MDTs:

- Tablet are moisture sensitive.
- Eating and drinking may become restricted.
- High dose cannot be incorporated in to tablet.
- **Cost of production:** The specialized manufacturing processes and additional additive required to produced MDTs [4].
- **Patient preference:** Not all patients may prefer MDTs, especially those who dislike sensation of a tablet dissolving in the mouth or have an aversion to certain flavours or textures.
- **Fragility and handling:** MDTs are generally more fragile than conventional tablets due to their porous structure.

Ideal properties of MDTs:

- Allow high loading of the drug.

- It has a pleasant mouth feeling. A) **Rapid drug launch:** MDTs ought to release the active pharmaceutical component speedy once dissolved, allowing for speedy drug absorption, specially for drugs that act thru mouth or sublingual absorption [5]. B) **Ease of producing:** The manufacturing procedure of MDTs must be straightforward, cost-effective and scalable, using conventional pill manufacturing techniques inclusive of direct compression or freeze-drying.
- **Criteria for drug choice:** No sour flavour, dose less than 20 mg, protection for moisture, enough mechanical energy, precise flavor and mouth feel, low residual extent, rapid drug release, moisture sensitivity, minimum water requirement, right balance, low sensitivity to warmthness,
- **Conventional technology used MDTs:** Tablet molding, spray drying technique, mass shaping technique, nano-particle advent technique, direct compression approach, freeze drying approach,
- **Tablet molding:** Tablet molding is a key technique used in the components of MDTs. This process involves shaping the pill *via* compressing the formulation in a mold, taking into consideration higher manipulate over the pill's traits [6].

Type of molding: Commonplace technique consists of fusion molding and solvent evaporation.

Blessings: Molding lets in for uniformity inside the pill length and weight, making it easier to incorporate excessive drug masses at the same time as maintain brief disintegration.

Fabric used: Ordinary additives consists of gel-forming agents, which enhances the mouth experience and promote rapid dissolution.

- **Spray drying method:** a) The mist drying technique includes spraying a first-class mist of solvent directly to a drying medium, which enables the removal of moisture without excessive temperatures. B) Formation of a porous capsules shape as the mist droplets evaporate, improving the disintegration speed of the MDT.
- The scientific basis for using mist to regulate particles size and porosity (Figure 3) [7].




Figure 3: Mist drying method.

Results and Discussion

Mass shaping method

The mass shaping method is a novel technique for the formulation of MDTs that involves the shaping of a mass of a wet blend containing the drug and additives in to tablets. This process bypasses traditional method like dire compression and wet granulation, offering several advantages: Uniformity, reduced processing, customization.

Nano-particles creation method: Several methods can be employed.

Solvent evaporation method: Involves dissolving the drug and polymers in a volatile solvent. The solvent is then evaporated to create nano-particles for use in MDTs formulations, leading to the formation of nano-particles [8].

Coacervation method:

Direct compression method: a) Explanation of direct compression as a method that involves blending API (Active Pharmaceutical Ingredient) and additives and compressing them in to tablets. B) The role of additives like quick-release agents, diluents and lubricants in ensuring rapid disintegration and dissolution (Figure 4) [9].

Advantages:

- Simplicity and efficiency
- Cost-effective
- Rapid disintegration
- Suitability for heat sensitive drugs




Figure 4: Direct compression method.

Freeze drying approach

Description of the freeze drying process:

- Freezing of the tablet matrix to solidify the water content material.
- **Primary drying:** Sublimation of frozen water underneath reduced pressure.
- **Secondary drying:** Elimination of residual moisture by desorption.

Software: Rational for using freeze drying in MDTs:

- Quicker disintegration times because of porous structure.
- Higher stability for heat touchy active pharmaceutical ingredients.
- Minimal use of components, ensuring a cleaner method.

Benefits:

- Speedy onset of motion because of rapid disintegration and dissolution.
- Improved affected person compliance because of ease of management without water.
- Reduced hazard of microbial contamination due to low moisture content.
- Superior drug stability and self-existence (Figure 5).




Figure 5: Freeze drying method.

Patented technologies for instruction of MDTs

Wow-tab era: Wow-tab is a reducing aspect technology designed to create mouth dissolving drugs that offer a quick and convenient manner to deliver medicinal drug. These capsules are formulated dissolved speedy inside the mouth without the want for water, making them an amazing choice for sufferers who have issue swallowing conventional dosage bureaucracy.

OraSolv era: OraSolv is a complicated technology especially designed to formulate mouth dissolving pills that hastily collapse inside the mouth without the want for water. This technology purpose to better affected person convenience and stepped forward medicine adherence, particularly for folks that battle with swallowing traditional drugs or drugs.

Durasolv era: Durasolv is an progressive era designed to create mouth dissolving tablets that crumble hastily in the oral hollow space without the need for water. Technologies focused on enhancing the patient experience by ensuring that the tablet dissolved quickly, making them ideal for individuals who have difficulty swallowing traditional tablets or capsules.

Conclusion

In the pharmaceutical landscape, mouth dissolving tablets have gained significant popularity over traditional dosages form like conventional tablets and capsules. MDTs are particularly beneficial for specific patient groups, including children, the elderly, individual with psychiatric conditions, those who are immobility and non-aqueous. Mouth Dissolving Tablets (MDTs) represent a significant advancement in the area of medication delivery methods. Their capability of disintegrated agents quick dissolve has improved adherence to medication, especially for young patients, old, adults and individuals with swallowing difficulty. The development of MDTs has shifted the paradigm oral drug delivery by ensuring faster onset of action, improved bioavailability and enhanced stability of active pharmaceutical ingredients.

References

1. Reddy LH, Ghosh B, Rajneesh (2002) Fast dissolving drug delivery system: A review of literature. *Indian J Pharm Sci* 64: 331-336.
2. Shukla D, Chakraborty S, Singh S, Mishra B (2009) Mouth dissolving tablet: An overview of formulation technology. *Scientia Pharm* 77: 309-322.
3. Hirani JJ, Rathod DA, Vadalía KR (2009) Orally disintegrating tablets: A review. *Trop J Pharm Res* 8.
4. Ashish M, Amar K, Shivam S (2017) Fast dissolving tablets: A review. *Int J Curr Pharm Res* 9: 8-18.
5. Fu Y, Yang S, Jeong SH, Kimura S, Park K (2004) Orally fast disintegrating tablets: Development, technologies, taste masking and clinical studies. *Crit Rev Ther Drug Carrier Syst* 21: 433-475.
6. Bagul U, Gujar K, Patel N, Aphale S, Dhat S (2010) Formulation and evaluation of sublimed fast melt tablets of Levocetirizine dihydrochloride. *Int J Pharm Sci* 2: 76-80.

7. Kalia A, Khurana S, Bedi N (2009) Formulation and evaluation of mouth dissolving tablets of Oxcarbazepine. *Int J Pharm Pharm Sci* 1: 12-23.
8. Gupta A, Mishra AK, Gupta V, Bansal P, Singh R, et al. (2020) Recent trends of fast dissolving tablet: An overview of formulation technology. *Int J Pharm Biol Arch* 1: 1-10.
9. Gauri S, Kumar G (2012) Fast dissolving drug delivery and its technology. *Pharma Innov* 1: 34-39.