

# Expert Opinion on Environmental Biology

**A SCITECHNOL JOURNAL** 

### Commentary

## Renewable Energy and Fuel Technology

#### Bessie Ava\*

#### Abstract

Power to Fuel (P2F) generation and the outcomes such generation ought to have at the destiny power mix. P2F is widely described as the use of electric power to supply a gasoline from its factor elements, regularly with inside the presence of a catalyst. The maximum acquainted is the manufacturing of gasoline the use of the hydrogen and carbon through the Fischer Tropic process. The technical readiness, compares the projected economics, and gift how incorporating it into an offshore renewable power improvement scheme ought to make hereto uneconomic renewable power improvement regions profitable.

Keywords: Renewable energy; Environment; Immature specimens

#### Introduction

On seamounts at water depths likeminded with the lifestyles of a benthic population, everlasting populations composed of juveniles, immature specimens, and incubatory girls and mature adult males have been set up in a seamount retention system. The lifestyles of an everyday flux of coastal people from the north jap Atlantic continental shelf and the replica inside seamount set up populations seem enough to hold offshore populations of this species.

The examine of marine biogeography offers vital records approximately the dispersal talents and indication of the function of marine islands and seamounts in species expansion. Numerous seamounts are gift with inside the North Atlantic Ocean among Europe and North America and numerous questions get up approximately the beginning of the seamount fauna and their status quo in such remoted environments. Many researches have taken into consideration seamounts as stepping stones for the transoceanic species dispersal and questions stay approximately the composition of seamount fauna and it's dating to the ones of the encompassing abyssal plain, continental shelf, and different seamounts and mid oceanic islands. Several authors have counselled that seamount species have been initially enormous oceanic species, which have been sooner or later transported with the aid of using ocean currents and recruited to shape seamount populations in appropriate environments.

oceanic seamounts host numerous and considerable benthic groups whose composition become widely just like neighboring continental slopes; they highlighted the vital function of dispersal talents of species in seamount connectivity. Supplied proof that seamounts provide stepping stones for dispersal, representing oases of abundance and biomass in addition to hotspots of species richness, however without excessive stages of endemism. Seamounts seemed to be facilities of organic productivity that may preserve vital oceanic offshore ecosystems with an aggregation of better trophic stages together with fish. Excessive stages of biodiversity and endemism, gambling vital roles in marine biogeography, with hotspots of organic carbon processing that choose full size fisheries. Moreover, they pointed that latest research demonstrating that seamounts had similar benthic variety and endemism in comparison to continental margins.

Planktonic larvae constitute the primary dispersal level of many benthic organisms; however adults also can unfold over lengthy distances for the colonization of different sites. According to many authors, marine benthic invertebrates use one of kind dispersal mechanisms, which cause an extensive geographical distribution.

Verified that driftwood become the handiest rafting platform capable of guide the dispersal of tailored amphipods from west to east throughout the North Atlantic. However, ocean floor currents are the maximum vital element interfering with the colonization of various islands or seamounts. Therefore, the floor water circulate among the Atlantic coast of Europe and the north jap coast of Africa and the Azores Archipelago is ruled with the aid of using Portugal and Canary currents, which as a result constitute the primary supply of delivery of larvae and grownup organisms.

They are severe Lusitanian seamounts at diverse distances from the Iberian margin and others positioned with inside the region south of the Azores.

French oceanographic cruises Seamount 1 exploring the Lusitanian seamounts and Seamount 2 exploring the Azores seamounts have caused the invention and outline of numerous invertebrates new to science.

Migration undertaken with the aid of using people to hold their proximity to the seabed on seamounts. This impact might offer habitats related to biophysical mechanisms together with diurnal vertical migration main to the trapping of set up migrant people.

#### Acknowledgement

I would like to thank my Professor for his support and encouragement.

#### **Conflict of Interest**

None.

\*Corresponding author: Bessie Ava, Department of Environmental Health Sciences, Columbia University, USA, E-Mail: avabessie@adc.edu

Received Date: 30 June, 2021; Accepted Date: 14 July, 2021; Published Date: 21 July, 2021



All articles published in Expert Opinion on Environmental Biology are the property of SciTechnol, and is protected by copyright laws. Copyright © 2021, SciTechnol, All Rights Reserved.

Citation: Ava B (2021) Renewable Energy and Fuel Technology. Expert Opin Environ Biol, 10:4

#### Author Affiliations

Department of Environmental Health Sciences, Columbia University, USA

Submit your next manuscript and get advantages of SciTechnol submissions

- 80 Journals
- 21 Day rapid review process
- 3000 Editorial team
- 5 Million readers
- More than 5000 facebook\*
- Quality and quick review processing through Editorial Manager System

SUBMIT YOUR NEXT MANUSCRIPT AT • WWW.SCITECHNOL.COM/SUBMISSION

Тор